

# Examples

Alexander Walker  
Alexander.Walker1989@gmail.com

July 26, 2014

## 1 Formatting with writeData and writeDataTable

```
## data.frame to write
df <- data.frame("Date" = Sys.Date()-0:4,
                  "Logical" = c(TRUE, FALSE, TRUE, TRUE, FALSE),
                  "Currency" = paste("$",-2:2),
                  "Accounting" = -2:2,
                  "hLink" = "http://cran.r-project.org/",
                  "Percentage" = seq(-1, 1, length.out=5),
                  "TinyNumber" = runif(5) / 1E9, stringsAsFactors = FALSE)

class(df$Currency) <- "currency"
class(df$Accounting) <- "accounting"
class(df$hLink) <- "hyperlink"
class(df$Percentage) <- "percentage"
class(df$TinyNumber) <- "scientific"

## Formatting can be applied simply through the write functions
## global options can be set to further simplify things
options("openxlsx.borderStyle" = "thin")
options("openxlsx.borderColour" = "#4F81BD")

## create a workbook and add a worksheet
wb <- createWorkbook()
addWorksheet(wb, "writeData auto-formatting")

writeData(wb, 1, df, startRow = 2, startCol = 2)
writeData(wb, 1, df, startRow = 9, startCol = 2, borders = "surrounding")
writeData(wb, 1, df, startRow = 16, startCol = 2, borders = "rows")
writeData(wb, 1, df, startRow = 23, startCol = 2, borders = "columns")
writeData(wb, 1, df, startRow = 30, startCol = 2, borders = "all")

## headerStyles
hs1 <- createStyle(fgFill = "#4F81BD", halign = "CENTER", textDecoration = "Bold",
                  border = "Bottom", fontColour = "white")

writeData(wb, 1, df, startRow = 16, startCol = 10, headerStyle = hs1,
          borders = "rows", borderStyle = "medium")


## to change the display text for a hyperlink column just write over those cells
writeData(wb, sheet = 1, x = paste("Hyperlink", 1:5), startRow = 17, startCol = 14)
```

```
## writing as an Excel Table
```

```
addWorksheet(wb, "writeDataTable")
writeDataTable(wb, 2, df, startRow = 2, startCol = 2)
writeDataTable(wb, 2, df, startRow = 9, startCol = 2, tableStyle = "TableStyleLight9")
writeDataTable(wb, 2, df, startRow = 16, startCol = 2, tableStyle = "TableStyleLight2")
writeDataTable(wb, 2, df, startRow = 23, startCol = 2, tableStyle = "TableStyleMedium21")

openXL(wb) ## opens a temp version
```

The 'tableStyle' argument in writeDataTable can be any of the predefined tableStyles in Excel.



## 2 Date Formatting

```
# data.frame of dates
dates <- data.frame("d1" = Sys.Date() - 0:4)
for(i in 1:3) dates <- cbind(dates, dates)
names(dates) <- paste0("d", 1:8)

## Date Formatting
wb <- createWorkbook()
addWorksheet(wb, "Date Formatting", gridLines = FALSE)
writeData(wb, 1, dates) ## write without styling

## openxlsx converts columns of class "Date" to Excel dates with the format given by
getOption("openxlsx.dateFormat", "mm/dd/yyyy")

## this can be set via (for example)
options("openxlsx.dateFormat" = "yyyy/mm/dd")
## custom date formats can be made up of any combination of:
##   d, dd, ddd, dddd, m, mm, mmm, mmmm, mmmmm, yy, yyyy

## numFmt == "DATE" will use the date format specified by the above
addStyle(wb, 1, style = createStyle(numFmt = "DATE"), rows = 2:11, cols = 1, gridExpand = TRUE)

## some custom date format examples
sty <- createStyle(numFmt = "yyyy/mm/dd")
addStyle(wb, 1, style = sty, rows = 2:11, cols = 2, gridExpand = TRUE)

sty <- createStyle(numFmt = "yy/mmm/dd")
addStyle(wb, 1, style = sty, rows = 2:11, cols = 3, gridExpand = TRUE)

sty <- createStyle(numFmt = "yyyy/m/ddd")
addStyle(wb, 1, style = sty, rows = 2:11, cols = 4, gridExpand = TRUE)

sty <- createStyle(numFmt = "yy/mmm/ddddd")
addStyle(wb, 1, style = sty, rows = 2:11, cols = 5, gridExpand = TRUE)

sty <- createStyle(numFmt = "yyyy-mmm-dddd")
addStyle(wb, 1, style = sty, rows = 2:11, cols = 6, gridExpand = TRUE)

sty <- createStyle(numFmt = "mm/ dd yyyy")
addStyle(wb, 1, style = sty, rows = 2:11, cols = 7, gridExpand = TRUE)

sty <- createStyle(numFmt = "mm/dd/yy")
addStyle(wb, 1, style = sty, rows = 2:11, cols = 8, gridExpand = TRUE)

setColWidths(wb, 1, cols = 1:10, widths = 23)

## The default date format used in writeData and writeDataTable can be set with:
options("openxlsx.dateFormat" = "dd/mm/yyyy")
writeData(wb, "Date Formatting", dates, startRow = 8, borders = "rows")
options("openxlsx.dateFormat" = "yyyy-mm-dd")
writeData(wb, "Date Formatting", dates, startRow = 15)

saveWorkbook(wb, "Date Formatting.xlsx", overwrite = TRUE)
```

### 3 DateTime Formatting

The conversion from POSIX to Excel datetimes is dependent on the timezone you are in. If POSIX values are being written incorrectly, try setting the timezone with (for example) `Sys.setenv(TZ = "Australia/Sydney")`

```
dateTimes <- data.frame("d1" = Sys.time() - 0:4*10000)
for(i in 1:2) dateTimes <- cbind(dateTimes, dateTimes)
names(dateTimes) <- paste0("d", 1:4)
```

```
## POSIX Formatting
wb <- createWorkbook()
addWorksheet(wb, "DateTime Formatting", gridLines = FALSE)
writeData(wb, 1, dateTimes) ## write without styling
```

```
## openxlsx converts columns of class "POSIXt" to Excel datetimes with the format given by
getOption("openxlsx.datetimeFormat", "yyyy/mm/dd hh:mm:ss")
```

```
## this can be set via (for example)
options("openxlsx.datetimeFormat" = "yyyy-mm-dd hh:mm:ss")
## custom datetime formats can be made up of any combination of:
## d, dd, ddd, dddd, m, mm, mmm, mmmm, mmmmm, yy, yyyy, h, hh, m, mm, s, ss, AM/PM
```

```
## numFmt == "LONGDATE" will use the date format specified by the above
addStyle(wb, 1, style = createStyle(numFmt = "LONGDATE"), rows = 2:11, cols = 1, gridExpand = TRUE)
```

```
## some custom date format examples
sty <- createStyle(numFmt = "yyyy/mm/dd hh:mm:ss AM/PM")
addStyle(wb, 1, style = sty, rows = 2:11, cols = 2, gridExpand = TRUE)
```

```
sty <- createStyle(numFmt = "hh:mm:ss AM/PM")
addStyle(wb, 1, style = sty, rows = 2:11, cols = 3, gridExpand = TRUE)
```

```
sty <- createStyle(numFmt = "hh:mm:ss")
addStyle(wb, 1, style = sty, rows = 2:11, cols = 4, gridExpand = TRUE)
```

```
setColWidths(wb, 1, cols = 1:4, widths = 30)
```

```
## The default date format used in writeData and writeDataTable can be set with:
options("openxlsx.datetimeFormat" = "yyyy/mm/dd hh:mm:ss")
writeData(wb, "DateTime Formatting", dateTimes, startRow = 8, borders = "rows")
```

```
options("openxlsx.datetimeFormat" = "hh:mm:ss AM/PM")
writeDataTable(wb, "DateTime Formatting", dateTimes, startRow = 15)
```

```
saveWorkbook(wb, "DateTime Formatting.xlsx", overwrite = TRUE)
openXL("DateTime Formatting.xlsx")
```

## 4 Conditional Formatting

```
wb <- createWorkbook()
addWorksheet(wb, "cellIs")
addWorksheet(wb, "moving Row")
addWorksheet(wb, "moving Col")
addWorksheet(wb, "Dependent on 1")
addWorksheet(wb, "colourScale 2 Colours")

negStyle <- createStyle(fontColour = "#9C0006", bgFill = "#FFC7CE")
posStyle <- createStyle(fontColour = "#006100", bgFill = "#C6EFCE")

## rule applies to all each cell in range
writeData(wb, 1, -5:5)
writeData(wb, 1, LETTERS[1:11], startCol=2)
conditionalFormat(wb, 1, cols=1, rows=1:11, rule="!=0", style = negStyle)
conditionalFormat(wb, 1, cols=1, rows=1:11, rule=="=0", style = posStyle)

## highlight row dependent on first cell in row
writeData(wb, 2, -5:5)
writeData(wb, 2, LETTERS[1:11], startCol=2)
conditionalFormat(wb, 2, cols=1:2, rows=1:11, rule="$A1<0", style = negStyle)
conditionalFormat(wb, 2, cols=1:2, rows=1:11, rule="$A1>0", style = posStyle)

## highlight column dependent on first cell in column
writeData(wb, 3, -5:5)
writeData(wb, 3, LETTERS[1:11], startCol=2)
conditionalFormat(wb, 3, cols=1:2, rows=1:11, rule="A$1<0", style = negStyle)
conditionalFormat(wb, 3, cols=1:2, rows=1:11, rule="A$1>0", style = posStyle)

## highlight entire range cols X rows dependent only on cell A1
writeData(wb, 4, -5:5)
writeData(wb, 4, LETTERS[1:11], startCol=2)
conditionalFormat(wb, 4, cols=1:2, rows=1:11, rule="$A$1<0", style = negStyle)
conditionalFormat(wb, 4, cols=1:2, rows=1:11, rule="$A$1>0", style = posStyle)

## colourscale colours cells based on cell value

df <- read.xlsx(system.file("readTest.xlsx", package = "openxlsx"), sheet = 5)
writeData(wb, 5, df, colNames=FALSE) ## write data.frame

## rule is a vector or colours of length 2 or 3 (any hex colour or any of colours())
conditionalFormat(wb, 5, cols=1:ncol(df), rows=1:nrow(df),
  rule =c("black", "white"), type = "colourScale")

setColWidths(wb, 5, cols=1:ncol(df), widths=1.07)
setRowHeights(wb, 5, rows=1:nrow(df), heights=7.5)
#'
## Save workbook
saveWorkbook(wb, "Conditional Formatting Examples.xlsx", overwrite = TRUE)
```